

XJY-630D Fully Automatic Stainless Steel PLC Controlled Adhesive Labeling Machine For Bottle

Our Product Introduction

for more products please visit us on tom-packs.com

Basic Information

- Place of Origin: China
- Brand Name: TOM
- Certification: CE, ISO, CO
- Model Number: XJY-630D
- Minimum Order Quantity: 1 Set
- Price: Negotiable
- Packaging Details: Plywood case
- Delivery Time: 30 working days
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 30 sets per month




Product Specification

- Material: Stainless Steel 304
- Type: Adhesive Label
- Speed: 0-5000 Bottle Per Hour
- Torque: Can Adjust
- Application: For Round Bottle
- Model: XJY-630D
- Power: 220V Or 380V
- Highlight: **PLC Controlled Adhesive Labeling Machine, Fully Automatic Adhesive Labeling Machine, Bottle Adhesive Labeling Machine**



More Images



XJY-630D Fully Automatic Stainless Steel PLC Controlled adhesive labeling Machine For Bottle












Major Characteristics:

This labeling machine is suitable for foodstuff, daily chemical, pharmaceutical, pesticide and other lines. For round bottle wrapping labeling. Automatically controlled by computer (PLC), touch screen control panel, easily operation. No bottle no labeling. Meanwhile it can save ten group labeling parameters. Change different specifications of bottles for labeling fast. It adopts servo motor to realize closed type controlling, low malfunction rate, high efficiency as well as fast speed. All parts which contact materials are made of good quality stainless steel, the surface of machine is well polished, friendly environmental, meet GMP standard.

Technical Parameter:

No.	Items	Performance
01	Power supply	AC 220V; 50Hz or 38V
02	Power	2.5 KW
03	Labeling speed	0 ~ 26 meter / minute
04	Inner diameter of paper roll	Φ75mm
05	Max outer diameter of paper roll	Φ350mm
06	Standard label height	0 ~ 130mm
07	Maximum label height	200mm
08	Weight	650 Kg
09	Machine dimension (L x W x H)	2400mm x 1600mm x 1500mm

Configuration list

NO.	Name	Model	Brand	Remark
01	PLC	FX Series	Panasonic (Japan)	
02	Frequency Converter	A700 Series	Panasonic (Japan)	
03	Touch screen	5.7'	Panasonic (Japan)	
04	Serve system	LXM23CU15M3X BCH1303N11A1C	Schneider (France)	
05	Counting sensor	KR-Q50N-V42	OPTEX (Japan)	
06	Proximity Switch	XS612B4NBL2	Schneider (France)	
07	Power supply switch	ABL2REM24065	Schneider (France)	
08	Small relay	/	Schneider (France)	
09	Reducer	Nanfeng	China	
10	Electric button	/	Schneider (France)	
11	Bearings	All series	Harbin	
12	Stainless steel	TISCO	TISCO SS304	

Machine Photo



Part Of Machine

label out system adopts high precision servo motor, high precision, good stability



All adjusting parts adopt digital display, easy to adjust, easy to replace specifications



Leuze brand photoelectric from Germany is adopted to ensure the accuracy of the stopping position and high precision operation



Position part



Touch screen



For round bottle labeling





