


## XJY-660D Fully Automatic stainless steel PLC Controlled Double Side Adhesive Labeling Machine For Bottle

Our Product Introduction

for more products please visit us on tom-packs.com

### Basic Information

- Place of Origin: China
- Brand Name: TOM
- Certification: CE, ISO, CO
- Model Number: XJY-660D
- Minimum Order Quantity: 1 Set
- Price: Negotiable
- Packaging Details: Plywood case
- Delivery Time: 30 working days
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 30 sets per month



### Product Specification

- Material: Stainless Steel 304
- Type: Adhesive Label
- Speed: 0-5000 Bottle Per Hour
- Torque: Can Adjust
- Application: For Square Bottle (double Side)
- Model: XJY-660D
- Power: 220V Or 380V
- Control: Servo Motor
- Operate: PLC And Touch Screen
- Highlight: Double Side Adhesive Labeling Machine, Bottle Labeling Machine, PLC Controlled Labeling Machine



### More Images



### Product Description

XJY-660D  
Fully  
Automatic  
Stainless Steel  
PLC Controlled

Our Product

# Double Side Adhesive Labeling Machine For Bottle

## Major characteristics:

This machine is widely suitable for foodstuff, cosmetic, pharmaceutical, pesticide and other industries. It is single and double side labeling for square bottle which volume below 1L-5L . Automatic controlled by computer (PLC)easy operating . No bottle no labeling. It can change specifications easily. It adopts servo motor , achieved closed loop control low malfunction rate . High efficiency, Fast speed.

## Technical Parameter:

No.	Items	Performance
01	Power supply	AC 220V; 50Hz
02	Power	2.5 KW
03	Labeling speed	0 ~ 26 meter / minute
04	Inner diameter of paper roll	Φ75mm
05	Max outer diameter of paper roll	Φ350mm
06	Standard label height	0 ~ 250mm
07	Maximum label height	200mm
08	Weight	750 Kg
09	Machine dimension ( L x W x H )	3000mm x 1600mm x 1500mm

## Configuration list:


No.	Name	Model	Brand	Remark
01	PLC	FX Series	Omron (Japan)	
02	Frequency Converter	AT70 Series	Panasonic (Japan)	
03	Touch screen	6.7	Panasonic (Japan)	
04	Servo system	UNIOXUS200S SD-0300-1A2	Schneider (France)	
05	Counting sensor	40-2000-142	OPTEX (Japan)	
06	Pressure Switch	022204042	Schneider (France)	
07	Power supply switch	AB24000000	Schneider (France)	
08	Small relay	/	Schneider (France)	
09	Reducer	Harding	China	
10	Electric button	/	Schneider (France)	
11	Barcode	40 Series	Honey	
12	Stainless steel	TISCO	TISCO 0004	

## Machine Photo



## Part Of Machine

The labeling device is provided at the bottle outlet to ensure that the affixed label can be attached to the bottle without bubbles at all



Considering that the label of the square bucket is affixed on an approximate plane instead of an accurate surface, a label storage position is required on the labeling machine. The position label can naturally stay at this position without any pulling force to ensure that the label will not be caught. Pull the deformation



Leuze brand photoelectric from Germany is adopted to ensure the accuracy of the stopping position and high precision operation



Label out system using high-precision servo motor, high standard of accuracy, good stability.



Only need to adjust the handle when changing the specifications, no tools, easy adjustment, and the digital display accuracy on the handle reaches 0.1mm



Touch screen



Delivery



The Photo Of Our Company

