

XJY-660D Fully Automatic Stainless Steel PLC Controlled Double Side Adhesive Labeling Machine For Bottle

Our Product Introduction

for more products please visit us on tom-packs.com

Basic Information

- Place of Origin: China
- Brand Name: TOM
- Certification: CE, ISO, CO
- Model Number: XJY-660D
- Minimum Order Quantity: 1 Set
- Price: Negotiable
- Packaging Details: Plywood case
- Delivery Time: 30 working days
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 30 sets per month



Product Specification

- Material: Stainless Steel 304
- Type: Adhesive Label
- Speed: 0-5000 Bottle Per Hour
- Torque: Can Adjust
- Application: For Square Bottle (double Side)
- Model: XJY-660D
- Power: 220V Or 380V
- Highlight: Double Side Adhesive Labeling Machine, Bottle Labeling Machine, PLC Controlled Labeling Machine



More Images



XJY-660D Fully Automatic Stainless Steel PLC Controlled Double Side Adhesive Labeling Machine For Bottle













Major characteristics:

This machine is widely suitable for foodstuff, cosmetic, pharmaceutical, pesticide and other industries. It is single and double side labeling for square bottle which volume below 1L-5L . Automatic controlled by computer (PLC) easy operating . No bottle no labeling. It can change specifications easily. It adopts servo motor , achieved closed loop control low malfunction rate . High efficiency, Fast speed.

Technical Parameter:

No.	Items	Performance
01	Power supply	AC 220V; 50Hz
02	Power	2.5 KW
03	Labeling speed	0 ~ 26 meter / minute
04	Inner diameter of paper roll	Φ75mm
05	Max outer diameter of paper roll	Φ350mm
06	Standard label height	0 ~ 250mm
07	Maximum label height	200mm
08	Weight	750 Kg
09	Machine dimension (L x W x H)	3000mm x 1600mm x 1500mm

Configuration list

NO.	Name	Model	Brand	Remark
01	PLC	FX Series	Panasonic (Japan)	
02	Frequency Converter	A700 Series	Panasonic (Japan)	
03	Touch screen	5.7'	Panasonic (Japan)	
04	Serve system	LXM23CU15M3X BCH1303N11A1C	Schneider (France)	
05	Counting sensor	KR-Q50N-V42	OPTEX (Japan)	
06	Proximity Switch	XS612B4NBL2	Schneider (France)	
07	Power supply switch	ABL2REM24065	Schneider (France)	
08	Small relay	/	Schneider (France)	
09	Reducer	Nanfeng	China	
10	Electric button	/	Schneider (France)	
11	Bearings	All series	Harbin	
12	Stainless steel	TISCO	TISCO SS304	

Machine Photo




Part Of Machine

The labeling device is provided at the bottle outlet to ensure that the affixed label can be attached to the bottle without bubbles at all



Considering that the label of the square bucket is affixed on an approximate plane instead of an accurate surface, a label storage position is required on the labeling machine. The position label can naturally stay at this position without any pulling force to ensure that the label will not be caught. Pull the deformation



Leuze brand photoelectric from Germany is adopted to ensure the accuracy of the stopping position and high precision operation



Label out system using high-precision servo motor, high standard of accuracy, good stability.



Only need to adjust the handle when changing the specifications, no tools, easy adjustment, and the digital display accuracy on the handle reaches 0.1mm



Touch screen



Delivery





The Photo Of Our Company



TOM 汤姆 Jiangsu TOM Intelligent Equipment Co., Ltd.,

+86 13306111001 tech@cn-tom.com tom-packs.com

No.99, Rulin Town, Jintan District, Changzhou City, Jiangsu Province, China.