

FJ-110 Pesticide Filling Machine Fully Automatic Horizontal Filling Machine For Powder Granule

Our Product Introduction

for more products please visit us on tom-packs.com

Basic Information

- Place of Origin: China
- Brand Name: TOM
- Certification: CE, ISO,CO
- Model Number: FJ-110
- Minimum Order Quantity: 1 Set
- Price: Negotiable
- Packaging Details: Sea Worthy Packing
- Delivery Time: 30 working days
- Payment Terms: L/C, T/T
- Supply Ability: 20 sets per month



Product Specification

- Filling Type: By Screw
- Filling Head: 1 Heads
- Machine Size: 1730mm (L)*680mm (W)*2200mm (H)
- After-sales Service Provided: Engineers Available To Service Machinery Overseas
- Filling Range: 2-10g
- Warranty: All Life
- Speed: 40bags/min
- Materials: SUS304
- Highlight: **FJ-110 Pesticide Filling Machine, Powder Pesticide Filling Machine, Granule horizontal filling machine**



More Images



Product Description

FJ-110 Fully Automatic Horizontal Bag Packing Machine For Powder and Granule

Major characteristics:

This type machine is used for heat-sealing multi-layers compound packed material of bags. Automatic achieve bag shaping, bag making, and filling, printing and sealing ECT. Choose different filling device can be suitable for different packing products, for example: powder, paste, granule, liquid and so on.

1. This machine adopts PLC, touch screen control panel, convenient to adjust.
2. The electric parts of this machine are controlled by PLC, touch screen control panel, easy operation, and high produce efficiency, wide application. Frequency conversion speed governor, high auto-immunization. Special device can to make the top sealing nice and smooth. No bag no opening and filling. Photoelectric sensor, approximate switch and other electric elements are using the international famous brand, reliable operation, easy operation, good man-machine interface.
3. It can achieve the double bags packing, multi working positions filling, which can anti-counterfeiting.
4. This type machine with fast speed, easy to change the packing specification, all the parts which will contact the filling products are made of high quality stainless steel, and it is an ideal choice for pharmacy, chemical, foodstuff, cosmetic industries.



Technical parameters

No.	Items	Performance
01	Power supply	380V±10%
02	Power	2.8kw
03	Air source	0.6Mpa clean and stable compressed air
04	Bag size making	max: 110mm (W)*130mm (H) Min: 60mm (W)*70mm (H)
05	Suitable film roll	max external diameter: Φ380mm Inner diameter: Φ70mm-Φ80mm
06	Filling product	Powder, liquid, granular
07	Filling range	2-10g
08	Filling error	≤±0.5g
09	Number of filling nozzles	1 filling heads
10	Production capacity	40bags/min
11	Machine weight	about 600Kg
12	Machine dimension (L×W×H)	1730mm (L)*680mm (W)*2200mm (H)

Some picture of FJ-110 Horizontal automatic packing machine:

Details of Packing Machine:

1. The packing machine's all action realized by this cam, the cam's precision is a key to this machine. Our cam can guarantee for whole lifelong, we will free-replacement if the cam has any problem.



2. All the sealing parts are processed with made of stainless casting, long service life and more firmness.



3.Human designed for the button



4.Electric elements are choose famous brand



Packaging & Shipping:

1. the machine is packed by non-fumigation wooden case, and for keeping the wooden case more secure, we inserted the iron support inside wooden case, makes it suitable for long-term sea delivery.



Ware house for finished packed machines:



Loading machines into container:

We have a professional logistics team responsible for shipping



Company Overview--Jiangsu Tom Group



Company real scene:



Company covers an area of 150 mu



Office building



New factory processing center



Old factory processing center



Assembly workshop



After-sales service big data service center

TOM 汤姆 Jiangsu TOM Intelligent Equipment Co., Ltd.,

+86 13306111001

tech@cn-tom.com

tom-packs.com

No.99, Rulin Town, Jintan District, Changzhou City, Jiangsu Province, China.