Jiangsu TOM Intelligent Equipment Co., Ltd., tom-packs.com

PLC Controlled Automatic Chemical Liquid Powder Granular Packing Machine

Basic Information

Place of Origin: China
Brand Name: TOM
Certification: CE, ISO,CO
Model Number: FJ-210GD
Minimum Order Quantity: 1 Set
Price: Negotiable

Packaging Details: Sea Worthy PackingDelivery Time: 50 working days

• Payment Terms: L/C, T/T

• Supply Ability: 10 sets per month



Product Specification

• Filling Type: By Weight And Screw

Application: For Liquid, Powder, Granular

Model: FJ-210GD

Provided:

Voltage: 220V/380V
 Weight: 1200KG
 Filling Range: 200g-1000g
 Speed: 20-25 Bags/min

• Highlight: Liquid Powder granular packing machine,

25 bags/min granular packing machine,

1000g granular filling machine



More Images



FJ-210GD PLC Controlled Automatic Chemical Liquid powder granular Bag Packing Machine

Major characteristics

This machine mainly consists of fully automatically packing machine and auger. It is a good choice for pesticide powder, coffee powder, spices, additives and other powder materials. It is also good choice for liquid, jam material filling ,as juice, catsup, béchamel, chili sauce, liquid soap ,detergent and so on.

- 1. Machinery handbag -printing -bag opening filling -jolt air pressed -sealing shaping -embossing -finished product outputting
- 2. Touch screen control panels , no operator's intervention ,fully automatically control ,PLC executive machinery ,and movement reliability , easy to operate ,no environment pollution .
- 3. The mainframe is adjusted by exported frequency conversion .
- 4. The packaging bags are good looking qualified, which it has printed and heat-sealed for twice.
- 5. The machine is designed with unitary service position ,so the mouth of the bottle is unruffled .
- 6. The part which contact with filling materials are made of stainless steels . It is clean, anti-corrosion, durability.
- 7. It is provided with automatic metering machine according to the requirement of the filling materials, automatic screw filling machine, intelligent compound balance and other products, which are suitable for metering automatically to compound a line.

Technical parameters

Model	FJ-300	FJ-210
Packing size	200*300-300*450mm	100*150-210*320mm
Filling Range	500g-1000g	100g-500g
Packing Speed	600-900bags/hour	600-900 bags/hour
Power supply	5KW	4KW
Machine	3000mm*2300mm*2200mm	2700mm*2000mm*2200mm
dimension(L*W*H)		
Machinery station	Eight	
Packing materials	Stand up bag,four sides sealing bag,three size sealing bag	
Machine weight	About 900kg	
Pneumatic air source	0.6MPa clean and stable air source	

Partial Introduce:



work flow diagram

- 1.manually put the bag in the feeding oart of the main machine, machine will automatic suck the bag.
- 2.Automatic bag opening(opening the bag up and down at the same time and blowing the bag on the top to assist open the bag)
 - 3. The rough filling by compressing filling head, the dust removing port is installed in the filling position, the dust generated by the filling is sucked, and the cylinder under the filling head is blocked.
- 4. Accurate filling, first weigh the rough filled material, determine the small amount, then add it, and add the side to weigh until the set filling amount is stopped. This position also installs the vacuum port irrigation. The loaded material enters the flat position of the bag opening, and the dust suction port is installed above the bag
- 5. Enter the heat seal sealing position, and then vent and seal before sealing

- 6. Enter the sealing cold press shaping position (can be equipped with steel printing code)
- 7. Delivery of the machine through the belt
- 8. The belt at the exit of the machine will be packaged and delivered out, then manual packed to carton. Feeding Bags \rightarrow clip Bags \rightarrow Openings \rightarrow Filling 1 \rightarrow Filling 2 \rightarrow Heat Sealing 1 \rightarrow Heat Sealing 2 \rightarrow Shaping \rightarrow Output



Electrical parts:

The electrical part are in top side of machine, can prevent water and material inside it, safety and environmental.




Packaging & shipping:





warehouse for finished machine:



Loading picture:



Company Overview--Jiangsu Tom Group



Tom "The Little White House"

Jiangsu Tom Group is an enterprise specializing in the production of pesticide / veterinary medicine, fertilizer and chemical intelligent equipment. The factory covers an area of 150 acres and has a construction area of 120,558 square meters. It has 710 employees, 2 doctoral students, 30 master students, and 358 undergraduates. It has obtained ISO9001 quality system. Certification, ISO14001 Environmental Management System Certification, OHSAS18001 Occupational Health and Safety System Certification, CE Certification, Jiangsu Province Specialized Specialized New "Little Giant" Enterprise, Changzhou Specialized Specialized New Small and Medium Enterprise, 125 National Utility Patents and 26 National Inventions patent. Over the past 24 years, after the hard work of Tom people, Tom Group has continued to innovate and develop, keeping pace with the times, providing generations of advanced intelligent packaging equipment for more than 3,300 pesticide / veterinary medicine, fertilizer and chemical companies, and building Industry 4.0 intelligent factories for customers; Provide automated three-dimensional warehouse; create smart factory production data acquisition and execution system (MES) for customers.





+86 13306111001



tech@cn-tom.com



tom-packs.com

No.99, Rulin Town, Jintan District, Changzhou City, Jiangsu Province, China.