

## 8-12 Cartons / Minute Auto Box Packing Machine Stainless Steel

Our Product Introduction

for more products please visit us on [tom-packs.com](http://tom-packs.com)

### Basic Information

- Place of Origin: Changzhou, Changzhou
- Brand Name: TOM
- Certification: ISO9001:2000, ISO14001, OHSAS18001, CE, CO
- Model Number: KLJ-40D
- Minimum Order Quantity: 1 set
- Price: Negotiable
- Packaging Details: Non-fumigation wooden case inserted Iron Shelf, suitable for long time sea delivery
- Delivery Time: 30 working days for single machine
- Payment Terms: T/T





### Product Specification

- Material: Stainless Steel
- Open Speed: 8-12 Cartons/minute
- PLC Control: Yes
- Warranty: One Year
- Highlight: 12 Cartons / Minute auto box packing machine , auto box packing machine Stainless Steel, 8 Cartons / Minute auto carton machine



### More Images



### Product Description

Automatic Vertical Type Carton Box Opening Machine With Tap Bottom Sealing Function

Our Product




#### Major characteristics:

1. This machine can complete the work of carton opening, folding and sticking the adhesive tape.
2. Adopts PLC+ touch screen control.
3. Imported components, electric and pneumatic parts.
4. Vertical cardboard magazine, add cardboards whenever necessary without stopping the machine.
5. Manually adjust for different cartons within allowable range, just takes 1~2 minutes.
6. Reasonable design, vacuum cup suck the cardboard, fold and seal the bottom.
7. Small space occupation, precision and durable parts provide the guarantee for stable running, long life, and high efficiency.
8. with protection device for cutter installation to avoid being hurt.
9. Easy operation, machine can be used individually and combined with the packaging line.


#### Technical Parameter:

No.	Items	Performance
01	Carton Size	L:200-450 W:150-400 H:100-350mm
02	Speed	8-12 carton/min ( according to the carton size)
03	Dimension	L2000*W1900*H1450mm
04	Power supply	220V/380V 50/60HZ 300W
05	Table Height	Min 600mm; Max 720mm
06	Tape width	48/60mm
07	Air source	5-6kg/cm <sup>3</sup>
08	Tape	48/60/72mm
09	Weight	400kg






**Machine size:**




**Carton opening process**




**Main features:**

Using vertical cardboard storage mode, only need to put the cardboard neatly on the storage tank, replenish the cardboard at any time, no need to stop, the rack is stable and durable,





In order to accurately grasp the carton, the multi-layer anti-static suction cup is selected, and the suction force of grasping the carton can reach 40-50KG, which is stable and durable.  
The use of Airtac cylinder control, high wear resistance, no damage to the carton, durable.



The patterned conveyor belt is used to increase the friction with the surface of the box to ensure the stable progress of the box and the perfect bottom cover with high wear resistance.



#### **Packaging & Shipping**

1. the machine is packed by non-fumigation wooden case, and for keeping the wooden case more secure, we inserted the iron support inside wooden case, makes it suitable for long-term sea delivery.





**TOM 汤姆** Jiangsu TOM Intelligent Equipment Co., Ltd.,

+86 13306111001    tech@cn-tom.com    tom-packs.com

No.99, Rulin Town, Jintan District, Changzhou City, Jiangsu Province, China.