Automatic Horizontal Pesticide Filling Machine

Basic Information

• Place of Origin: Changzhou, China

. Brand Name:

Certification: ISO9001:2000, ISO14001, OHSAS18001,

CE, CO Model Number: DYZ-280 Minimum Order Quantity:

Negotiable

Non-fumigation Wooden Case inserted Iron Shelf, Suitable for Long Time Sea Delivery • Packaging Details:

45 WORKING DAYS • Delivery Time:

T/T • Payment Terms:

• Supply Ability: 25SETS/MONTHLY



Product Specification

Material: SS304 Or SS316L

Pneumatic Element: Airtac

 Electronic Element: Siemens, Schneider Or Panasonic

Powder Hopper: Including

• Filling Material: Powder And Liquid And Granule

• Sealing Style: 4 Sides Sealing Packing Style: Horizontal Type

Horizontal Pesticide Filling Machine, Automatic Pesticide Filling Machine, Highlight:

40 Bags / Minute powder filling and sealing machine



More Images











Product Description

Automatic PLC Control Horizontal Pesticide Power Filling And Sealing Machine With High Speed

Major characteristics:

- 1. The combination of the vertical bag loading mechanism and the servo bag picking has a wide range of use
- 2. Auxiliary bag opening and blowing function, which better provides the bag opening qualification rate
- 3. Through the bag opening detection function, the bag is basically not wasted
- 4, two-dimensional code thermal transfer coding station, online real-time coding.
- 5. Synchronous delivery out of the bag, stable output
- 6. Servo bag moving ensures the trolley moving bag is more stable and reliable.

| Tooming parameters. | | |
|---------------------|--------------------------------|--|
| No. | Item | Performance |
| 1 | Machine weight | 1200KG |
| 2 | Power supply | AC 380V 50/60HZ |
| 3 | Maximum size of the bag making | 280mm(W) *380mm(H) |
| 4 | Minimum size of the bag making | 120mm(W)*150mm(H) |
| 5 | Packing speed | 15-40 bags /minute |
| 6 | Air source | 0.6MPa clean and compressed air |
| 7 | Suitable bag type | Three sides sealing, four side sealing and stand pouch |



DYZ-280 Horizontal bag giving intelligent packing machine

Machine details: This machine is suitable for medium and big-sized pre-made bag packing, for filling both powder and liquid, small and simple structure, save space



This filling part is linear type filling, there's two filling nozzle, one filling nozzle is rough filling, the second filling is fine filling, there's weighing scale under filling station to guarantee high filling accuracy.




After filling, there's two sealing plate to seal the bag, one is hot sealing plate to seal the bag firmly, the second is cold sealing plate to make the sealing edge more beautiful



This is the bag feeding part, the people need to put the new empty bags into feeding part manually, usually it can house 200-300pcs of bags



This is the bag outlet conveyor, after filling and sealing, the bag will come out by this conveyor to enter into the next packing station



This is the electric box which is dust proof and water proof, clear cable wire line and beautiful cable route



Here's the different material feeding device, dust collector and other auxiliary machines, can meet different requirements of customers



Here's the different material filling hopper and filling tank, if the filling material is powder, then machine will use screw hopper, if the filling material is liquid, then machine will use filling tank, if the filling material is granule or other bulk solid, the machine will use weighing head



粉体下料装置



液体气动/伺服活塞下料装置



液体自流下料装置



单/双管喂料机



伺服转子泵下料装置



真空上料机



平步带输送机 Belt convyor



量杯颗粒下科装置 Cup granular filling devices



组合秤下料装置 Composite scale filling des

Packaging & Shipping
The machine is packked by non-fumigation wooden case, and for keeping the wooden case more secure, we inserted the iron support inside wooden case, makes it suitable for long-term sea delivery.



Tom's logistic department will load the goods into container directty in Tom factory







No.99, Rulin Town, Jintan District, Changzhou City, Jiangsu Province, China.