

1L-5L Piston Shampoo Filling Machine Semi Automatic 2 Nozzle

Our Product Introduction

for more products please visit us on tom-packs.com

Basic Information

- Place of Origin: Changzhou, China
- Brand Name: TOM
- Certification: ISO9001:2000, ISO14001, OHSAS18001, CE, CO
- Model Number: GZH-2DA1
- Minimum Order Quantity: 1
- Price: Negotiable
- Packaging Details: Non-fumigation Wooden Case inserted Iron Shelf, Suitable for Long Time Sea Delivery
- Delivery Time: 20 WORKING DAYS
- Payment Terms: T/T
- Supply Ability: 25SETS/MONTHLY



Product Specification

- Material: SS304 Or SS316L
- Pneumatic Element: Airtac
- Electronic Element: Siemens, Schneider Or Panasonic
- Number Of Filling Nozzle: 2
- Filling Speed: 8-10 Bottle/minute
- Highlight: 5L Shampoo Filling Machine, Shampoo Filling Machine 2 Nozzle, Semi Automatic shampoo refill machine



More Images



Product Description

1L-5L 2Nozzles Semi-Automatic Piston Filling Machine For Varous Liquid

**Major characteristics:**

1. This machine with two filling heads is to aim at liquid filling range from 1L to 5L.
2. The mainly part of machine is made of Stainless Steel 304 or 316L.
3. This machine is controlled by a pneumatic device with foot steps, when you step the pneumatic device, the machine starts filling, and the filling volume is controlled by a sensor which set inside the driving part.
4. Simple structure, easy to operate, accurate precision of quantitative filling and large yield etc.

Technical parameters

| No. | Items | Performance |
|-----|------------------------------------|--|
| 01 | Machine dimension (L×W×H) | 1150mm x 850mm x 1800mm |
| 02 | Machine weight | 300Kg |
| 03 | Container mouth diameter | ≥ φ35mm |
| 04 | Max container size | φ200mm(diameter)×300mm |
| 05 | Power supply | AC220V;50HZ(or according to customers' requirement) |
| 06 | Power | 0.75 kW |
| 07 | Filling volume range | 1L 5L |
| 08 | Error range | ±2ml for 1L ; ±4ml for 4L |
| 09 | Pneumatic (air-operated) source | 0.6Mpa clean and stable compressed air |
| 10 | Filling heads number | 2 |
| 11 | Production capacity | 15-20 bottles/minute for 1L(according to operator's operating speed) |
| 12 | Required working relative humidity | 95% (no condensation) |
| 13 | 95% (no condensation) | 0 40 |

Machine details:**Filling nozzle:**

The filling nozzle can be extended, can diving into the bottle bottom to filling, filling meanwhile going up, to prevent bubbles.



The semi-automatic piston filling machine is suitable for various liquid such as detergent, pesticide, painting, lubricants oil etc., it has a widely using range, and east to operate, small footprint and save space



Application products: good work for filling ethyl Alcohol



Good work for filling dishing washing detergent



Good work for filling lubricants oil, engine oil



Packaging & Shipping

The machine is packed by non-fumigation wooden case, and for keeping the wooden case more secure, we inserted the iron support inside wooden case, makes it suitable for long-term sea delivery.



Tom's logistic department will load the goods into container directly in Tom factory



TOM 汤姆 Jiangsu TOM Intelligent Equipment Co., Ltd.,

+86 13306111001 tech@cn-tom.com tom-packs.com

No.99, Rulin Town, Jintan District, Changzhou City, Jiangsu Province, China.