1L-5L Piston Shampoo Filling Machine Semi Automatic 2 Nozzle

Our Product Introduction

Basic Information

- Place of Origin: Changzhou, China
- Brand Name: TOM
- Certification: ISO9001:2000, ISO14001, OHSAS18001, CE, CO
- Model Number: GZH-2DA1
- Minimum Order Quantity: 1
- Price: Negotiable
- Packaging Details: Non-fumigation Wooden Case inserted Iron Shelf, Suitable for Long Time Sea Delivery
- Delivery Time: 20 WORKING DAYS
- Payment Terms: T/T
- Supply Ability: 25SETS/MONTHLY

Product Specification

- Material: SS304 Or SS316L
- Pneumatic Element: Airtac
- Electronic Element: Siemens, Schneider Or Panasonic
- Number Of Filling Nozzle: 2
- Filling Speed: 8-10 Bottle/minute
- Highlight: **5L Shampoo Filling Machine**, **Shampoo Filling Machine 2 Nozzle**, **Semi Automatic shampoo refill machine**

More Images

for more products please visit us on tom-packs.com

Our Product Introduction

for more products please visit us on tom-packs.com

Product Description

1L-5L 2Nozzles Semi-Automatic Piston Filling Machine For Varous Liquid

Major characteristics:

1. This machine with two filling heads is to aim at liquid filling range from 1L to 5L.
2. The mainly part of machine is made of Stainless Steel 304 or 316L.
3. This machine is controlled by a pneumatic device with foot steps, when you step the pneumatic device, the machine starts filling, and the filling volume is controlled by a sensor which set inside the driving part.
4. Simple structure, easy to operate, accurate precision of quantitative filling and large yield etc.

Technical parameters

No.	Items	Performance
01	Machine dimension (L×W×H)	1150mm x 850mm x 1800mm
02	Machine weight	300Kg
03	Container mouth diameter	≥ φ35mm
04	Max container size	φ200mm(diameter)×300mm
05	Power supply	AC220V;50HZ(or according to customers' requirement)
06	Power	0.75 kW
07	Filling volume range	1L 5L
08	Error range	±2ml for 1L ; ±4ml for 4L
09	Pneumatic (air-operated) source	0.6Mpa clean and stable compressed air
10	Filling heads number	2
11	Production capacity	15-20 bottles/minute for 1L(according to operator's operating speed)
12	Required working relative humidity	95% (no condensation)
13	95% (no condensation)	0 40

Machine details:

Filling nozzle:

The filling nozzle can be extended, can diving into the bottle bottom to filling, filling meanwhile going up, to prevent bubbles.

The semi-automatic piston filling machine is suitable for various liquid such as detergent, pesticide, painting, lubricants oil etc., it has a widely using range, and east to operate, small footprint and save space

Application products: good work for filling ethyl Alcohol

Good work for filling dishing washing detergent

Good work for filling lubricants oil, engine oil

Packaging & Shipping

The machine is packked by non-fumigation wooden case, and for keeping the wooden case more secure, we inserted the iron support inside wooden case, makes it suitable for long-term sea delivery.

Tom's logistic department will load the goods into container direclty in Tom factory

Jiangsu TOM Intelligent Equipment Co., Ltd.,

+86 13306111001 tech@cn-tom.com tom-packs.com

No.99, Rulin Town, Jintan District, Changzhou City, Jiangsu Province, China.