

Automatic Monoblock Filler Capper Machine Linear Rotary Filling And Capping Machine

Our Product Introduction

for more products please visit us on tom-packs.com

Basic Information

- Place of Origin: Changzhou, China
- Brand Name: TOM
- Certification: ISO9001:2000, ISO14001, OHSAS18001, CE, CO
- Model Number: GXY-6DYZ-1XZ
- Minimum Order Quantity: 1
- Price: Negotiable
- Packaging Details: Non-fumigation Wooden Case inserted Iron Shelf, Suitable for Long Time Sea Delivery
- Delivery Time: 60 WORKING DAYS
- Payment Terms: T/T
- Supply Ability: 25SETS/MONTHLY




Product Specification

- Material: SS304 Or SS316L
- Pneumatic Element: Airtac
- Electronic Element: Siemens, Schneider Or Panasonic
- Filling Tank: Including
- Liquid Level Sensor: Including
- No. Of Filling Nozzle: 4 Or 6
- No. Of Capping Head: 1
- Highlight: Automatic monoblock filler capper machine, 6 heads monoblock filler capper machine, Linear rotary filling and capping machine



More Images



Product Description

Automatic PLC Control linear Filling And rotary Capping Machine For Small Bottle

Our Product Introduction



Major characteristics:

This is a monoblock machine combines filling and capping, applicable for various bottles and liquids. PLC computer system and touch screen controlling, friendly machine human interface, Simple operation, convenient maintenance, it is an ideal packing machine for customers with small productivity required. The capping system bears the function of cap sorting and tightening. All parts which contact with filling products are made of qualified stainless steel, the surface has been polished well, nice appearance, friendly environment, comply with GMP standard.


Technical parameters:

No.	Items	Performance
01	Power supply	AC 220V:50Hz
02	Power	2.5 Kw
03	Bottle diameter	Φ40mm Φ100mm (may customize)
	Bottle height	60mm 230mm (may customize)
04	Cap diameter	Φ20mm Φ70mm (may customize)
	Cap height	15mm 30mm (may customize)
05	No. Of filling nozzle	6 head
06	No. Of capping head	1 head
05	Production capacity	1500 bottles/hour
06	Machine weight	1800 Kg
07	Machine dimension (L×W×H)	3000mm x 1000mmx2200mm

Machine details:

Filling nozzle:


The filling nozzle is designed according to the characteristics of liquid products, and nozzle diameter is based on bottle mouth diameter, high processing accuracy, good sealing, smooth filling and no leakage.




Most of machine materia is SS304, machine running sable with high speed, long service life, the piston can fall of piston cylinder during self-cleanning process



Plc control, the changeover time is within 30 minute, fast loading and unloading.




The pass rate of the screw cap is close to 100%, the torque is adjustable, convenient and fast, and the stability is good. High pass rate:
Good versatility: Adopts correct capping type, suitable to the anti-theft cap and straw caps.



The cap sorter can incessantly feed caps to capping machine, match to capping machine



Water-proof and dust proof electric box



Application products:

This filling and capping machine is applicable for various bottles and caps



Packaging & Shipping

The machine is packed by non-fumigation wooden case, and for keeping the wooden case more secure, we inserted the iron support inside wooden case, makes it suitable for long-term sea delivery.



Tom's logistic department will load the goods into container directly in Tom factory



TOM 汤姆 Jiangsu TOM Intelligent Equipment Co., Ltd.,

+86 13306111001 tech@cn-tom.com tom-packs.com

No.99, Rulin Town, Jintan District, Changzhou City, Jiangsu Province, China.