500ml-3000ml Anti Corrosion Non Metal Bleach Filling Capping **Machine**

Basic Information

• Place of Origin: China TOM Brand Name: CE/ISO9001 . Certification:

 Model Number: GZJ . Minimum Order Quantity: 1 SET

• Price: Negotiable

• Packaging Details: Sea Worthy Packing • Delivery Time: 30 Working Days

• Payment Terms: L/C, T/T

Supply Ability: 10 sets per month



Product Specification

5-30L • Filling Range:

Touch Screen Display:

• Filling Nozzle: Anti-corrosive, No Drops

SUS304 Materials:

≤±1g 100ml ≤2g 200-1000ml Accuracy:

30L . Hopper Volume:

15 Bottles Per Minute · Capacity:

• Filling Nozzle Diameter: Φ18mm · Control System:

• Function: Automatic Viscous Liquid Filling Machine

Filling Nozzles: 8 Nozzles

Round/Square Bottle • Applicable Bottle Type:

Φ18mm Nozzle Diameter:

Temperature: Normal Temperature • Max Bottle: 200×140×320mm



More Images





Basic Info. Model NO. 500ml-3000ml Automatic Grade Fully Automatic Material Type Liquid Filling Valve Head Multi-Head Feed Cylinder Structure Multi-Room Feeding **Dosing Device** Plunger Filling Principle Pressure Packaging Container Lifting Structure Chute Pneumatic Combination Lifting Structure Linear Packaging Bottle Packaging Material Plastic Frame Material Stainless Steel 304, 316 Capacity 6000 Certification ISO 9001, ISO 14001, CE, Oshs Positioning Tracking Transport Package Wooden Case with Metal Frame Specification 500ml-3000ml Trademark TOM Origin Jiangsu China HS Code 8422303090

Production Capacity 12 Set/Month **Product Description**

500ml-3000ml **Anti-Corrosion** Non-Metal

+86 13306111001 tech@cn-tom.com tom-packs.com No.99, Rulin Town, Jintan District, Changzhou City, Jiangsu Province, China.

Bleach Filling Line

Product Description

This line is suitable for filling bleach products with specifications of 500ml-3000ml


Main features:

- 1. This line is suitable for filling bleach 500ml-3000ml specification products:
- 2. One click adjustment of the entire line (quick switching of specifications), reducing labor intensity and labor costs;
- 3. The filling speed of the entire line is 6000 barrels per hour, which can be customized according to needs;
- 4. Filling accuracy 3L bottle ± 5g, accurate precision, reducing unnecessary waste;
- 5. Linear piston tracking filling, tracking screw cap; 6. Flexible filling, easy adjustment, suitable for switching back and forth between multiple specifications;
- 7. The entire line is made of stainless steel material, with a beautiful and elegant appearance.

Product Parameters

Automatic bucket feeding machine, tracking filling and capping integrated machine, Crooked cap inspection and removal device, online bottle weight inspection and removal device, aluminum foil sealing machine, inkjet printer, aluminum foil leak detection machine, stacking machine, robot palletizer. Intelligent labeling machine, servo clamping steering machine, box erector, automatic bottom plate machine, packing machine, online box inspection and weight removal machine, sealing machine,pallet dispenser, robot palletizer

Main parameters: Power supply: AC380V.50 Single line power approxir Gas source pressure: (0.6 Single line gas consumption



Applicable bottle type:	
Length 80-240mm,Width	
80-180mm,Height 200-	
320mm	
0_0	
Anti-corrosion Intelligen Machine	
500ml-3000ml Anti-Corro	sion Non-Metal Bleach Filling and Capping 500cml +8000ml Anti-Corrosion Non-Metal Bleach Filling and Ca
FXX-4/6/8A Anti-	
Corrosion Rotary	
Intelligent Capping	
Machine4/6/8	
Capping Heads	
Capping Heads	
and the few answering liquid/le	
suits for corrosive liquid(lo	
value)	
quick switch design, in 5 n	
tools	
500ml-3000ml Anti-Corro	sion Non-Metal Bleach Filling and Capping 500chl+8000ml Anti-Corrosion Non-Metal Bleach Filling and Ca
TBJ-920A Intelligent	
Double sided Adhesive	
Labeling Machine	
Applicable bottle type:	
Applicable bottle type:	
length 80-240mm, width	
80-180mm	
Height 200-320mm	
Applicable labels: Height	
20-160mm,	
20-150m in length	
Capacity: 5L ≤ 2400	
barrels/hour	
Labeling accuracy: ±1mm	
	sion Non-Metal Bleach Filling and Capping 500chi+8000ml Anti-Corrosion Non-Metal Bleach Filling and Ca
SOUTH-SOUGHII AHLI-COITOS	sion from wistar breash r ming and capping www.intwoodin Anti-contosion Non-wetar breash filling and ca
ZZP-2NA Intelligent	
Case Packer	

Applicable bottle types: Diameter 45-95mm, Height 70-260mm

Carton specifications: 300-500mm in length,

500ml-3000ml Anti-Corrosion Non-Metal Bleach Filling and Cappi ฟูซ์ฟลิส์โดส์00mm Height 100-300mm

Height 100-300mm Capacity: 4-8 boxes/minute

Gripping type can be customized according to customer's package

Collaborative palletizing robot

Maximum load: 20Kg Capacity: 4-8 boxes/minute

Working radius: 1600mm Vertical distance: 2100mm

500ml-3000ml Anti-Corrosion Non-Metal Bleach Filling and Capping 500ml-3000ml Anti-Corrosion Non-Metal Bleach Filling and Cap

Customer

Service

AFTER-SALES AND SERVICE

All-round assisting service, lifetime maintenance for our equipment. Big date service center to remote solve customer equipment problem. The professional aftersales team of 100 people, after-sales are all loyal employees who have worked in the company for more than 5 years. Ample spare parts supply, our basic spare parts are processed and produced by ourselves to ensure the timeless and stability of the spare parts. TOM will care for every machine out of our factory, just like our own child working outside.

Company

Profile

Jiangsu Tom Group is a full-service provider specializing in the research and development, design, and production of intelligent filling equipment. Since entering the intelligent filling industry in 1998, we have been dedicated to providing customers with exquisite engineering design, generations of advanced intelligent filling lines, warehousing and logistics software engineering, EPCM projects, and smart factories.

What we can do?

- Agrochemicals
 packaging machines
 Household & personal
 care packaging machines
 Edible oil ,sauces &
 condiment packaging
 machines
- · Petrochemcials packaging machine
- · Coating ,paint packaging machines
- · Intelligent packaging of chemical new materials ·Pesticide Formulations Engineering (EPC/EPCM)

As of now, Tom has served more than 4000 domestic customers and over 600 foreign customers. Its excellent performance and comprehensive after-sales service system have received unanimous praise from a large number of users. CNPC, Sinopec, CNOOC, Luxi Chemical, China Resources Group, Shanxi Coking Coal Group, CNOOC Grain and Oil, Wanhua Chemical, Tianci, Wengfu, Roche, Jingbo, Kingenta, Stanley, Shanghai Dalian, Jiangsu Longpan, Jiangsu Gaoke, Idemitsu, Castro, Syngenta, Bayer, BASF, Red Sun, Wynca Chemical, Rainbow Chemical, Yinghui, Noposin, Lier, Meibang, Jiangshan Chemical, Libai, Blue Moon, Unilever, Zhuangchen, Qiqiang, Cnnice, Longrich, Reckitt, Liangmianzhen, Likang Medical, Swiss Sika, Oriental Yuhong, 3 trees, Hempel, Jordan Coatings. Nippon Paint, PPG, Asia-paint, Keshun, Nestle, Lee Kum Kee, Yaomazi, Yihai Kerry, Longda, Luhua and other famous domestic and foreign enterprises have become strategic partners of Tom.

500ml-3000ml Anti-Corrosion Non-Metal Blea 500milio 3000ml Captio i Ogrida idministron-Metal Blea 500milio 3000ml Captio i Ogrida idministration i Metal